



MILOLII RIDGE STUDY SITE

| LOC. | DIST. | FAMILY      | SPECIES                        | DBH  | HEIGHT |
|------|-------|-------------|--------------------------------|------|--------|
| T1   | 3     | Myrtaceae   | <i>Psidium cattleianum</i>     | 4.0  | 6      |
| T1   | 3     | Fabaceae    | <i>Acacia koa</i>              | 17.6 | 16     |
| T1   | 7     | Sapindaceae | <i>Dodonaea viscosa</i>        | 2.5  | 6      |
| T1   | 13    | Myrtaceae   | <i>Psidium cattleianum</i>     | 5.2  | 8      |
| T1   |       |             | <i>Psidium cattleianum</i>     | 3.1  |        |
| T1   | 14    | Fabaceae    | <i>Acacia koa</i>              | 4.6  | 6      |
| T1   | 14    | Sapindaceae | <i>Dodonaea viscosa</i>        | 4.4  | 6      |
| T1   |       |             | <i>Dodonaea viscosa</i>        | 3.8  |        |
| T1   | 18    | Myrtaceae   | <i>Psidium cattleianum</i>     | 5.3  | 8      |
| T1   |       |             | <i>Psidium cattleianum</i>     | 2.9  |        |
| T1   |       |             | <i>Psidium cattleianum</i>     | 5.0  |        |
| T1   | 18    | Myrtaceae   | <i>Psidium cattleianum</i>     | 4.2  | 8      |
| T1   | 18    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.9  | 8      |
| T1   | 19    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.1  | 8      |
| T1   |       |             | <i>Psidium cattleianum</i>     | 2.9  |        |
| T1   |       |             | <i>Psidium cattleianum</i>     | 3.4  |        |
| T1   | 20    | Myrtaceae   | <i>Psidium cattleianum</i>     | 2.8  | 6      |
| T1   | 21    | Myrtaceae   | <i>Psidium cattleianum</i>     | 4.7  | 8      |
| T1   |       |             | <i>Psidium cattleianum</i>     | 4.2  |        |
| T1   | 21    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.8  | 8      |
| T1   | 21    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.3  | 6      |
| T1   | 22    | Myrtaceae   | <i>Psidium cattleianum</i>     | 2.7  | 8      |
| T1   | 22    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.9  | 8      |
| T1   |       |             | <i>Psidium cattleianum</i>     | 3.4  |        |
| T1   | 23    | Myrtaceae   | <i>Psidium cattleianum</i>     | 5.3  | 8      |
| T1   | 26    | Myrtaceae   | <i>Psidium cattleianum</i>     | 5.0  | 8      |
| T1   | 26    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.4  | 8      |
| T1   | 28    | Sapindaceae | <i>Dodonaea viscosa</i>        | 4.7  | 8      |
| T1   | 29    | Fabaceae    | <i>Acacia koa</i>              | 19.7 | 14     |
| T1   | 30    | Myrtaceae   | <i>Psidium cattleianum</i>     | 4.2  | 8      |
| T1   | 30    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.0  | 6      |
| T1   | 31    | Myrtaceae   | <i>Psidium cattleianum</i>     | 5.7  | 8      |
| T1   | 31    | Myrtaceae   | <i>Psidium cattleianum</i>     | 5.2  | 10     |
| T1   | 35    | Rubiaceae   | <i>Coprosma naimeae</i>        | 2.5  | 4      |
| T1   | 36    | Fabaceae    | <i>Acacia koa</i>              | 14.5 | 14     |
| T1   | 40    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.2  | 6      |
| T1   | 44    | Fabaceae    | <i>Acacia koa</i>              | 15.3 | 10     |
| T1   | 44    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.7  | 8      |
| T1   | 45    | Santalaceae | <i>Santalum freycinetianum</i> | 14.3 | 10     |
| T1   |       |             | <i>Santalum freycinetianum</i> | 7.5  |        |
| T1   |       |             | <i>Santalum freycinetianum</i> | 7.7  |        |
| T1   | 45    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.3  | 8      |
| T1   | 45    | Myrtaceae   | <i>Psidium cattleianum</i>     | 4.1  | 8      |
| T1   | 45    | Myrtaceae   | <i>Psidium cattleianum</i>     | 4.3  | 8      |
| T1   | 48    | Myrtaceae   | <i>Psidium cattleianum</i>     | 3.1  | 6      |
| T1   | 48    | Fabaceae    | <i>Acacia koa</i>              | 20.2 | 8      |
| T2   | 0     | Sapindaceae | <i>Dodonaea viscosa</i>        | 3.8  | 6      |
| T2   |       |             | <i>Dodonaea viscosa</i>        | 4.2  |        |
| T2   | 4     | Fabaceae    | <i>Acacia koa</i>              | 13.7 | 14     |
| T2   | 6     | Fabaceae    | <i>Acacia koa</i>              | 17.4 | 14     |
| T2   | 6     | Fabaceae    | <i>Acacia koa</i>              | 17.0 | 16     |
| T2   | 10    | Sapindaceae | <i>Dodonaea viscosa</i>        | 7.5  | 8      |



|    |    |               |                                |      |    |
|----|----|---------------|--------------------------------|------|----|
| T2 | 11 | Myrtaceae     | <i>Psidium cattleianum</i>     | 6.4  | 10 |
| T2 |    |               | <i>Psidium cattleianum</i>     | 5.9  |    |
| T2 | 14 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.0  | 6  |
| T2 | 18 | Fabaceae      | <i>Acacia koa</i>              | 8.9  | 14 |
| T2 | 22 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.4  | 8  |
| T2 |    |               | <i>Psidium cattleianum</i>     | 3.3  |    |
| T2 | 22 | Myrtaceae     | <i>Psidium cattleianum</i>     | 2.8  | 8  |
| T2 | 22 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.9  | 10 |
| T2 |    |               | <i>Psidium cattleianum</i>     | 5.2  |    |
| T2 | 22 | Fabaceae      | <i>Acacia koa</i>              | 11.5 | 12 |
| T2 | 23 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 5.9  | 6  |
| T2 | 29 | Thymelaeaceae | <i>Wikstroemia furcata</i>     | 2.9  | 6  |
| T2 | 32 | Fabaceae      | <i>Acacia koa</i>              | 10.2 | 10 |
| T2 | 40 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.5  | 6  |
| T2 | 40 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.1  | 6  |
| T2 | 42 | Santalaceae   | <i>Santalum freycinetianum</i> | 39.9 | 14 |
| T2 | 42 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.1  | 10 |
| T2 |    |               | <i>Psidium cattleianum</i>     | 7.6  |    |
| T2 | 43 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.2  | 8  |
| T2 | 45 | Myrtaceae     | <i>Psidium cattleianum</i>     | 2.7  | 4  |
| T2 | 46 | Epacridaceae  | <i>Styphelia tameiameia</i>    | 2.6  | 4  |
| T2 | 46 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.2  | 6  |
| T2 |    |               | <i>Psidium cattleianum</i>     | 3.7  |    |
| T2 | 47 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.7  | 8  |
| T2 |    |               | <i>Psidium cattleianum</i>     | 3.2  |    |
| T2 | 49 | Epacridaceae  | <i>Styphelia tameiameia</i>    | 4.0  | 4  |
| T3 | 6  | Fabaceae      | <i>Acacia koa</i>              | 20.2 | 18 |
| T3 | 12 | Fabaceae      | <i>Acacia koa</i>              | 11.0 | 14 |
| T3 | 13 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.2  | 10 |
| T3 |    |               | <i>Psidium cattleianum</i>     | 6.9  |    |
| T3 |    |               | <i>Psidium cattleianum</i>     | 4.5  |    |
| T3 | 13 | Fabaceae      | <i>Acacia koa</i>              | 11.1 | 14 |
| T3 | 18 | Fabaceae      | <i>Acacia koa</i>              | 8.6  | 10 |
| T3 | 18 | Myrtaceae     | <i>Psidium cattleianum</i>     | 2.9  | 10 |
| T3 | 20 | Fabaceae      | <i>Acacia koa</i>              | 11.3 | 16 |
| T3 | 20 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.9  | 10 |
| T3 |    |               | <i>Psidium cattleianum</i>     | 4.9  |    |
| T3 | 21 | Fabaceae      | <i>Acacia koa</i>              | 7.9  | 12 |
| T3 | 21 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.3  | 8  |
| T3 |    |               | <i>Psidium cattleianum</i>     | 4.5  |    |
| T3 | 23 | Fabaceae      | <i>Acacia koa</i>              | 14.7 | 12 |
| T3 | 23 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.2  | 8  |
| T3 | 23 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.3  | 10 |
| T3 | 24 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.9  | 8  |
| T3 | 25 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.4  | 10 |
| T3 |    |               | <i>Psidium cattleianum</i>     | 4.1  |    |
| T3 | 26 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.3  | 6  |
| T3 | 27 | Fabaceae      | <i>Acacia koa</i>              | 12.7 | 18 |
| T3 | 28 | Epacridaceae  | <i>Styphelia tameiameia</i>    | 4.4  | 4  |
| T3 |    |               | <i>Styphelia tameiameia</i>    | 3.6  |    |
| T3 |    |               | <i>Styphelia tameiameia</i>    | 3.0  |    |
| T3 |    |               | <i>Styphelia tameiameia</i>    | 5.0  |    |
| T3 | 30 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.1  | 8  |
| T3 | 30 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.5  | 10 |
| T3 | 30 | Fabaceae      | <i>Acacia koa</i>              | 16.0 | 18 |
| T3 | 32 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.8  | 10 |



|    |    |               |                                |      |    |
|----|----|---------------|--------------------------------|------|----|
| T3 | 32 | Fabaceae      | <i>Acacia koa</i>              | 36.4 | 18 |
| T3 | 33 | Epacridaceae  | <i>Styphelia tameiameia</i>    | 4.1  | 6  |
| T3 | 35 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.1  | 8  |
| T3 |    |               | <i>Dodonaea viscosa</i>        | 4.6  |    |
| T3 | 36 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 6.8  | 8  |
| T3 | 40 | Myrtaceae     | <i>Metrosideros polymorpha</i> | 4.2  | 6  |
| T3 | 40 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 5.7  | 6  |
| T3 | 42 | Myrtaceae     | <i>Metrosideros polymorpha</i> | 5.2  | 8  |
| T3 | 45 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 2.5  | 4  |
| T3 | 46 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.3  | 4  |
| T3 | 47 | Fabaceae      | <i>Acacia koa</i>              | 20.9 | 16 |
| T3 | 49 | Thymelaeaceae | <i>Wikstroemia furcata</i>     | 2.6  | 6  |
| T4 | 0  | Fabaceae      | <i>Acacia koa</i>              | 13.9 | 14 |
| T4 | 2  | Myrtaceae     | <i>Psidium cattleianum</i>     | 6.8  | 8  |
| T4 | 2  | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.1  | 8  |
| T4 | 3  | Fabaceae      | <i>Acacia koa</i>              | 10.5 | 12 |
| T4 | 4  | Fabaceae      | <i>Acacia koa</i>              | 8.1  | 10 |
| T4 | 6  | Fabaceae      | <i>Acacia koa</i>              | 9.9  | 12 |
| T4 | 7  | Epacridaceae  | <i>Styphelia tameiameia</i>    | 2.5  | 4  |
| T4 | 7  | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.2  | 8  |
| T4 | 11 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.6  | 10 |
| T4 | 13 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.3  | 8  |
| T4 |    |               | <i>Psidium cattleianum</i>     | 3.1  |    |
| T4 |    |               | <i>Psidium cattleianum</i>     | 3.6  |    |
| T4 |    |               | <i>Psidium cattleianum</i>     | 2.7  |    |
| T4 | 14 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.9  | 8  |
| T4 | 14 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.7  | 10 |
| T4 |    |               | <i>Psidium cattleianum</i>     | 4.5  |    |
| T4 | 15 | Fabaceae      | <i>Acacia koa</i>              | 20.6 | 18 |
| T4 | 16 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.8  | 8  |
| T4 | 18 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.0  | 8  |
| T4 | 18 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.2  | 8  |
| T4 | 18 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.7  | 8  |
| T4 | 18 | Fabaceae      | <i>Acacia koa</i>              | 13.6 | 12 |
| T4 | 21 | Myrtaceae     | <i>Psidium cattleianum</i>     | 6.5  | 8  |
| T4 | 22 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.6  | 6  |
| T4 | 26 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.6  | 6  |
| T4 | 30 | Fabaceae      | <i>Acacia koa</i>              | 16.7 | 10 |
| T4 | 34 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.3  | 6  |
| T4 | 34 | Thymelaeaceae | <i>Wikstroemia furcata</i>     | 2.5  | 4  |
| T4 | 35 | Rubiaceae     | <i>Coprosma naimeae</i>        | 2.6  | 4  |
| T4 | 37 | Myrtaceae     | <i>Metrosideros polymorpha</i> | 10.6 | 14 |
| T4 | 39 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.3  | 6  |
| T4 |    |               | <i>Dodonaea viscosa</i>        | 6.4  |    |
| T4 | 40 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 2.9  | 6  |
| T4 | 40 | Fabaceae      | <i>Acacia koa</i>              | 10.3 | 14 |
| T4 | 41 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.2  | 6  |
| T4 | 44 | Fabaceae      | <i>Acacia koa</i>              | 16.9 | 16 |
| T4 | 44 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.1  | 8  |
| T4 |    |               | <i>Dodonaea viscosa</i>        | 3.8  |    |
| T4 |    |               | <i>Dodonaea viscosa</i>        | 4.8  |    |
| T5 | 4  | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.4  | 6  |
| T5 | 7  | Fabaceae      | <i>Acacia koa</i>              | 17.5 | 14 |
| T5 | 8  | Fabaceae      | <i>Acacia koa</i>              | 19.6 | 16 |
| T5 | 10 | Fabaceae      | <i>Acacia koa</i>              | 3.5  | 6  |



|    |    |               |                                |      |    |
|----|----|---------------|--------------------------------|------|----|
| T5 | 12 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.1  | 8  |
| T5 | 14 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.8  | 6  |
| T5 | 17 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.1  | 6  |
| T5 | 19 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.7  | 6  |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 2.5  |    |
| T5 | 20 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.7  | 8  |
| T5 | 21 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.9  | 8  |
| T5 |    |               | <i>Psidium cattleianum</i>     | 3.9  |    |
| T5 | 23 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.7  | 8  |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 3.0  |    |
| T5 | 25 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.7  | 10 |
| T5 | 26 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.8  | 10 |
| T5 | 26 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 5.7  | 10 |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 6.0  |    |
| T5 | 29 | Myrtaceae     | <i>Psidium cattleianum</i>     | 2.8  | 6  |
| T5 | 29 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.7  | 6  |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 2.9  |    |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 4.0  |    |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 2.7  |    |
| T5 | 30 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.5  | 6  |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 2.5  |    |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 4.1  |    |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 2.8  |    |
| T5 | 30 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.8  | 10 |
| T5 | 35 | Rubiaceae     | <i>Coprosma waimeae</i>        | 3.7  | 4  |
| T5 |    |               | <i>Coprosma waimeae</i>        | 3.5  |    |
| T5 | 36 | Myrtaceae     | <i>Psidium cattleianum</i>     | 8.4  | 10 |
| T5 | 36 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.8  | 10 |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 3.6  |    |
| T5 |    |               | <i>Dodonaea viscosa</i>        | 3.6  |    |
| T5 | 40 | Fabaceae      | <i>Acacia koa</i>              | 18.6 | 12 |
| T5 | 44 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.3  | 6  |
| T5 | 48 | Fabaceae      | <i>Acacia koa</i>              | 19.1 | 18 |
| T5 | 48 | Fabaceae      | <i>Acacia koa</i>              | 20.4 | 16 |
| T6 | 2  | Myrtaceae     | <i>Metrosideros polymorpha</i> | 2.7  | 4  |
| T6 | 4  | Thymelaeaceae | <i>Wikstroemia furcata</i>     | 3.2  | 4  |
| T6 | 4  | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.9  | 6  |
| T6 |    |               | <i>Dodonaea viscosa</i>        | 4.2  |    |
| T6 | 5  | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.1  | 6  |
| T6 | 8  | Fabaceae      | <i>Acacia koa</i>              | 8.0  | 8  |
| T6 | 9  | Sapindaceae   | <i>Dodonaea viscosa</i>        | 5.8  | 6  |
| T6 | 9  | Thymelaeaceae | <i>Wikstroemia furcata</i>     | 3.3  | 6  |
| T6 | 9  | Fabaceae      | <i>Acacia koa</i>              | 8.2  | 10 |
| T6 | 10 | Epacridaceae  | <i>Styphelia tameiameia</i>    | 3.5  | 4  |
| T6 | 13 | Myrtaceae     | <i>Psidium cattleianum</i>     | 8.7  | 8  |
| T6 | 18 | Fabaceae      | <i>Acacia koa</i>              | 17.7 | 14 |
| T6 | 18 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.1  | 6  |
| T6 | 19 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.8  | 6  |
| T6 |    |               | <i>Dodonaea viscosa</i>        | 2.8  |    |
| T6 | 20 | Thymelaeaceae | <i>Wikstroemia furcata</i>     | 2.5  | 6  |
| T6 | 20 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.7  | 10 |
| T6 | 20 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.9  | 8  |
| T6 | 21 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.8  | 8  |
| T6 | 21 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.8  | 6  |
| T6 | 24 | Fabaceae      | <i>Acacia koa</i>              | 11.1 | 12 |
| T6 | 26 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.8  | 8  |



|    |    |               |                             |      |    |
|----|----|---------------|-----------------------------|------|----|
| T6 | 26 | Myrtaceae     | <i>Psidium cattleianum</i>  | 4.4  | 6  |
| T6 | 26 | Sapindaceae   | <i>Dodonaea viscosa</i>     | 2.7  | 4  |
| T6 | 27 | Fabaceae      | <i>Acacia koa</i>           | 14.6 | 16 |
| T6 |    |               | <i>Acacia koa</i>           | 12.7 |    |
| T6 | 28 | Sapindaceae   | <i>Dodonaea viscosa</i>     | 3.9  | 4  |
| T6 | 30 | Sapindaceae   | <i>Dodonaea viscosa</i>     | 2.8  | 6  |
| T6 | 32 | Myrtaceae     | <i>Psidium cattleianum</i>  | 6.2  | 8  |
| T6 | 33 | Epacridaceae  | <i>Styphelia tameiameia</i> | 2.7  | 4  |
| T6 | 35 | Myrtaceae     | <i>Psidium cattleianum</i>  | 3.5  | 8  |
| T6 | 38 | Fabaceae      | <i>Acacia koa</i>           | 15.3 | 12 |
| T6 | 40 | Myrtaceae     | <i>Psidium cattleianum</i>  | 4.1  | 8  |
| T6 | 41 | Myrtaceae     | <i>Psidium cattleianum</i>  | 5.3  | 8  |
| T6 | 43 | Fabaceae      | <i>Acacia koa</i>           | 11.1 | 14 |
| T6 |    |               | <i>Acacia koa</i>           | 12.5 |    |
| T6 |    |               | <i>Acacia koa</i>           | 9.9  |    |
| T6 |    |               | <i>Acacia koa</i>           | 8.2  |    |
| T6 | 45 | Thymelaeaceae | <i>Wikstroemia furcata</i>  | 3.0  | 4  |
| T6 |    |               | <i>Psidium cattleianum</i>  | 5.4  |    |
| T6 | 48 | Myrtaceae     | <i>Psidium cattleianum</i>  | 5.1  | 8  |
| T6 | 49 | Myrtaceae     | <i>Psidium cattleianum</i>  | 4.9  | 8  |
| T6 |    |               | <i>Psidium cattleianum</i>  | 3.3  |    |
| T6 | 50 | Myrtaceae     | <i>Psidium cattleianum</i>  | 3.3  | 10 |
| T7 | 0  | Sapindaceae   | <i>Dodonaea viscosa</i>     | 3.3  | 6  |
| T7 | 4  | Sapindaceae   | <i>Dodonaea viscosa</i>     | 4.4  | 6  |
| T7 |    |               | <i>Dodonaea viscosa</i>     | 2.6  |    |
| T7 |    |               | <i>Dodonaea viscosa</i>     | 2.8  |    |
| T7 | 4  | Fabaceae      | <i>Acacia koa</i>           | 21.3 | 18 |
| T7 | 5  | Fabaceae      | <i>Acacia koa</i>           | 16.4 | 16 |
| T7 |    |               | <i>Acacia koa</i>           | 10.4 |    |
| T7 | 6  | Sapindaceae   | <i>Dodonaea viscosa</i>     | 5.3  | 4  |
| T7 | 10 | Fabaceae      | <i>Acacia koa</i>           | 25.0 | 18 |
| T7 | 11 | Sapindaceae   | <i>Dodonaea viscosa</i>     | 4.8  | 6  |
| T7 | 11 | Fabaceae      | <i>Acacia koa</i>           | 15.7 | 16 |
| T7 | 12 | Myrtaceae     | <i>Psidium cattleianum</i>  | 5.1  | 8  |
| T7 | 19 | Epacridaceae  | <i>Styphelia tameiameia</i> | 3.0  | 4  |
| T7 | 20 | Myrtaceae     | <i>Psidium cattleianum</i>  | 5.3  | 8  |
| T7 | 23 | Rubiaceae     | <i>Coprosma waimeae</i>     | 5.9  | 4  |
| T7 | 24 | Epacridaceae  | <i>Styphelia tameiameia</i> | 2.5  | 4  |
| T7 | 26 | Fabaceae      | <i>Acacia koa</i>           | 6.4  | 10 |
| T7 | 27 | Fabaceae      | <i>Acacia koa</i>           | 11.4 | 12 |
| T7 | 27 | Myrtaceae     | <i>Psidium cattleianum</i>  | 4.7  | 8  |
| T7 | 30 | Myrtaceae     | <i>Psidium cattleianum</i>  | 4.0  | 8  |
| T7 | 31 | Myrtaceae     | <i>Psidium cattleianum</i>  | 4.5  | 6  |
| T7 | 32 | Myrtaceae     | <i>Psidium cattleianum</i>  | 3.4  | 6  |
| T7 | 32 | Fabaceae      | <i>Acacia koa</i>           | 9.9  | 10 |
| T7 | 33 | Fabaceae      | <i>Acacia koa</i>           | 7.8  | 8  |
| T7 | 34 | Myrtaceae     | <i>Psidium cattleianum</i>  | 4.4  | 6  |
| T7 | 34 | Myrtaceae     | <i>Psidium cattleianum</i>  | 2.6  | 6  |
| T7 | 36 | Fabaceae      | <i>Acacia koa</i>           | 5.3  | 10 |
| T7 |    |               | <i>Acacia koa</i>           | 6.0  |    |
| T7 | 38 | Fabaceae      | <i>Acacia koa</i>           | 12.2 | 12 |
| T7 | 39 | Epacridaceae  | <i>Styphelia tameiameia</i> | 6.9  | 4  |
| T7 |    |               | <i>Styphelia tameiameia</i> | 4.4  |    |
| T7 |    |               | <i>Styphelia tameiameia</i> | 3.2  |    |
| T7 | 40 | Fabaceae      | <i>Acacia koa</i>           | 11.9 | 14 |
| T7 | 42 | Fabaceae      | <i>Acacia koa</i>           | 7.3  | 8  |



|    |    |              |                                |      |    |
|----|----|--------------|--------------------------------|------|----|
| T7 | 43 | Myrtaceae    | <i>Psidium cattleianum</i>     | 3.1  | 6  |
| T7 | 43 | Myrtaceae    | <i>Psidium cattleianum</i>     | 4.7  | 8  |
| T7 | 43 | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.2  | 8  |
| T7 | 47 | Fabaceae     | <i>Acacia koa</i>              | 7.2  | 12 |
| T7 | 48 | Fabaceae     | <i>Acacia koa</i>              | 14.5 | 16 |
| T8 | 4  | Sapindaceae  | <i>Dodonaea viscosa</i>        | 2.5  | 4  |
| T8 | 5  | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.5  | 8  |
| T8 | 5  | Fabaceae     | <i>Acacia koa</i>              | 6.7  | 10 |
| T8 | 5  | Myrtaceae    | <i>Psidium cattleianum</i>     | 4.2  | 8  |
| T8 | 12 | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.9  | 10 |
| T8 | 13 | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.0  | 8  |
| T8 | 13 | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.8  | 10 |
| T8 | 14 | Sapindaceae  | <i>Dodonaea viscosa</i>        | 4.9  | 6  |
| T8 | 16 | Myrtaceae    | <i>Psidium cattleianum</i>     | 4.2  | 8  |
| T8 | 18 | Fabaceae     | <i>Acacia koa</i>              | 14.8 | 14 |
| T8 | 20 | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.8  | 10 |
| T8 | 21 | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.5  | 8  |
| T8 | 21 | Fabaceae     | <i>Acacia koa</i>              | 4.6  | 8  |
| T8 | 21 | Myrtaceae    | <i>Psidium cattleianum</i>     | 3.1  | 8  |
| T8 | 22 | Fabaceae     | <i>Acacia koa</i>              | 14.2 | 16 |
| T8 | 23 | Epacridaceae | <i>Styphelia tameiameia</i>    | 5.1  | 4  |
| T8 |    |              | <i>Styphelia tameiameia</i>    | 3.8  |    |
| T8 | 25 | Myrtaceae    | <i>Psidium cattleianum</i>     | 4.2  | 8  |
| T8 |    |              | <i>Psidium cattleianum</i>     | 3.7  |    |
| T8 | 30 | Fabaceae     | <i>Acacia koa</i>              | 6.8  | 6  |
| T8 | 31 | Sapindaceae  | <i>Dodonaea viscosa</i>        | 4.3  | 6  |
| T8 | 36 | Myricaceae   | <i>Myrica faya</i>             | 7.7  | 8  |
| T8 | 37 | Myrtaceae    | <i>Psidium cattleianum</i>     | 4.7  | 8  |
| T8 | 38 | Fabaceae     | <i>Acacia koa</i>              | 15.3 | 8  |
| T8 | 39 | Myrtaceae    | <i>Psidium cattleianum</i>     | 4.4  | 8  |
| T8 | 41 | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.5  | 8  |
| T8 | 42 | Epacridaceae | <i>Styphelia tameiameia</i>    | 2.5  | 6  |
| T8 |    |              | <i>Styphelia tameiameia</i>    | 2.5  |    |
| T8 |    |              | <i>Styphelia tameiameia</i>    | 3.3  |    |
| T8 | 43 | Fabaceae     | <i>Acacia koa</i>              | 12.4 | 14 |
| T8 | 44 | Myricaceae   | <i>Myrica faya</i>             | 6.0  | 8  |
| T8 |    |              | <i>Myrica faya</i>             | 5.8  |    |
| T8 | 45 | Fabaceae     | <i>Acacia koa</i>              | 11.7 | 12 |
| T8 | 47 | Fabaceae     | <i>Acacia koa</i>              | 16.3 | 14 |
| T8 | 48 | Fabaceae     | <i>Acacia koa</i>              | 12.6 | 16 |
| T8 | 48 | Myrtaceae    | <i>Psidium cattleianum</i>     | 4.5  | 8  |
| T9 | 0  | Myrtaceae    | <i>Psidium cattleianum</i>     | 5.2  | 8  |
| T9 | 3  | Myrtaceae    | <i>Psidium cattleianum</i>     | 2.7  | 6  |
| T9 | 3  | Sapindaceae  | <i>Dodonaea viscosa</i>        | 2.6  | 4  |
| T9 | 3  | Myrtaceae    | <i>Metrosideros polymorpha</i> | 15.7 | 16 |
| T9 | 5  | Myrtaceae    | <i>Psidium cattleianum</i>     | 2.6  | 6  |
| T9 | 7  | Myrtaceae    | <i>Psidium cattleianum</i>     | 6.6  | 10 |
| T9 | 9  | Fabaceae     | <i>Acacia koa</i>              | 15.4 | 14 |
| T9 | 10 | Epacridaceae | <i>Styphelia tameiameia</i>    | 4.1  | 4  |
| T9 | 11 | Myrtaceae    | <i>Psidium cattleianum</i>     | 4.4  | 8  |
| T9 | 11 | Fabaceae     | <i>Acacia koa</i>              | 7.0  | 8  |
| T9 | 11 | Fabaceae     | <i>Acacia koa</i>              | 10.1 | 12 |
| T9 | 11 | Fabaceae     | <i>Acacia koa</i>              | 20.7 | 18 |
| T9 | 12 | Myrtaceae    | <i>Psidium cattleianum</i>     | 6.3  | 8  |
| T9 | 13 | Fabaceae     | <i>Acacia koa</i>              | 5.2  | 6  |



|     |    |               |                                |      |    |
|-----|----|---------------|--------------------------------|------|----|
| T9  | 13 | Fabaceae      | <i>Acacia koa</i>              | 8.4  | 12 |
| T9  | 18 | Fabaceae      | <i>Acacia koa</i>              | 2.9  | 8  |
| T9  | 19 | Fabaceae      | <i>Acacia koa</i>              | 8.3  | 8  |
| T9  | 20 | Fabaceae      | <i>Acacia koa</i>              | 7.4  | 10 |
| T9  | 24 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.6  | 6  |
| T9  | 25 | Epacridaceae  | <i>Styphelia tameiameia</i>    | 4.2  | 4  |
| T9  | 27 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.3  | 8  |
| T9  | 28 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.0  | 8  |
| T9  | 29 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.2  | 4  |
| T9  | 31 | Epacridaceae  | <i>Styphelia tameiameia</i>    | 3.1  | 4  |
| T9  | 32 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.6  | 10 |
| T9  | 32 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.2  | 8  |
| T9  | 32 | Myrtaceae     | <i>Psidium cattleianum</i>     | 8.7  | 8  |
| T9  | 32 | Fabaceae      | <i>Acacia koa</i>              | 10.0 | 16 |
| T9  |    |               | <i>Acacia koa</i>              | 10.3 |    |
| T9  | 35 | Fabaceae      | <i>Acacia koa</i>              | 14.0 | 16 |
| T9  | 44 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.3  | 6  |
| T9  | 45 | Myrtaceae     | <i>Psidium cattleianum</i>     | 6.4  | 10 |
| T9  | 48 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.0  | 10 |
| T9  | 50 | Santalaceae   | <i>Santalum freycinetianum</i> | 24.7 | 18 |
| T10 | 0  | Myrtaceae     | <i>Psidium cattleianum</i>     | 6.2  | 8  |
| T10 | 1  | Thymelaeaceae | <i>Wikstroemia furcata</i>     | 3.8  | 6  |
| T10 | 5  | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.4  | 8  |
| T10 | 7  | Thymelaeaceae | <i>Wikstroemia furcata</i>     | 2.5  | 4  |
| T10 | 8  | Fabaceae      | <i>Acacia koa</i>              | 3.7  | 8  |
| T10 |    |               | <i>Acacia koa</i>              | 3.7  |    |
| T10 | 10 | Myrtaceae     | <i>Metrosideros polymorpha</i> | 10.3 | 10 |
| T10 | 10 | Myrtaceae     | <i>Metrosideros polymorpha</i> | 67.2 | 20 |
| T10 | 11 | Fabaceae      | <i>Acacia koa</i>              | 17.4 | 14 |
| T10 | 12 | Fabaceae      | <i>Acacia koa</i>              | 10.3 | 14 |
| T10 | 13 | Fabaceae      | <i>Acacia koa</i>              | 20.6 | 18 |
| T10 | 14 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.1  | 4  |
| T10 |    |               | <i>Dodonaea viscosa</i>        | 3.1  |    |
| T10 | 16 | Fabaceae      | <i>Acacia koa</i>              | 17.4 | 16 |
| T10 | 18 | Rubiaceae     | <i>Coprosma waimeae</i>        | 2.7  | 4  |
| T10 | 18 | Fabaceae      | <i>Acacia koa</i>              | 6.3  | 6  |
| T10 | 20 | Rubiaceae     | <i>Coprosma waimeae</i>        | 8.4  | 6  |
| T10 | 23 | Fabaceae      | <i>Acacia koa</i>              | 21.0 | 14 |
| T10 | 25 | Fabaceae      | <i>Acacia koa</i>              | 15.7 | 12 |
| T10 | 27 | Myrtaceae     | <i>Metrosideros polymorpha</i> | 9.2  | 12 |
| T10 |    |               | <i>Metrosideros polymorpha</i> | 3.4  |    |
| T10 |    |               | <i>Metrosideros polymorpha</i> | 15.1 |    |
| T10 | 30 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.1  | 8  |
| T10 | 31 | Myrtaceae     | <i>Psidium cattleianum</i>     | 4.9  | 10 |
| T10 | 31 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.0  | 8  |
| T10 | 31 | Myrtaceae     | <i>Psidium cattleianum</i>     | 5.2  | 10 |
| T10 | 33 | Myrtaceae     | <i>Psidium cattleianum</i>     | 6.5  | 8  |
| T10 | 35 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 3.0  | 6  |
| T10 | 37 | Fabaceae      | <i>Acacia koa</i>              | 4.6  | 6  |
| T10 | 39 | Myrtaceae     | <i>Psidium cattleianum</i>     | 3.6  | 8  |
| T10 | 42 | Myrtaceae     | <i>Psidium cattleianum</i>     | 7.3  | 10 |
| T10 | 46 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 5.2  | 8  |
| T10 | 46 | Sapindaceae   | <i>Dodonaea viscosa</i>        | 4.8  | 6  |